

Work Order ID 140129

140129

Page 1

Thursday, December 17, 2015 3:42:58 PM

Item ID: 647.7711

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Strut Tube

Start Date: 12/17/2015 Start Qty: 1.00

1

Cust Item ID:

Required Date: 12/17/2015 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: MLS Date: DEC 23 2015

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
647.7700	A1

110

0.00

110

Mill Conv

Memo

0.00

Conventional Milling Machine

1- CUT AS PER DWG
2- Mill end of tube as per dwg
3- DEBURR AS PER DWG

1

0

J.C.-L. 16-01-28

120

QC6- Inspect dimensions to drawing

0.00

120

QC

Memo

0.00

Quality Control

①

DAS
38
9-89

JAN 28 2016

130

Identify as per dwg & Stock Location: WAA001 0.00

130

Packaging

Memo

0.00

Packaging

IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV

DAS
6
9-89

JAN 29 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Work Order ID 140129

140129

Page 2

Thursday, December 17, 2015 3:42:58 PM

Item ID: 647.7711 Accept *N900040100* Setup Start *NS1*

Revision ID: Stop *NS2*

Item Name: Strut Tube

Start Date: 12/17/2015 Start Qty: 1.00 *1*

Required Date: 12/17/2015 Req'd Qty: 1.00 *1*

Cust Item ID:

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

MLJ JAN 29 2016

MLJ JAN 29 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Picklist Print

Thursday, December 17, 2015 3:42:58 PM

Page 1

Work Order ID: 140129

140129

Parent Item: 647.7711

647 7711

Parent Item Name: Strut Tube

Start Date: 12/17/2015

Required Date: 12/17/2015

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV:A 12.11.06 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M4130NT0.500W.083		Purchased			No	110	f	21.6560	1.816	1.911579			

M4130NT0 500W 083

4130 RD tube .500 x .083W

Location

Loc Qty

Loc Code

MAT032

21.656

M133597

1.656

M133850

20

1.833' J.C.L. 12-01-28

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : ☐									



APICAL INDUSTRIES, INC.
dba DART AEROSPACE

ENGINEERING CHANGE NOTICE NO.

05110

SHEET 1 OF 1

DWG NO. 647.7700

REV: A

PREPARED
BY

A. QUAN

DATE: 08/21/15

EFFECT ON DWG

☐ INC. ☒ UNINC.

DWG TITLE: STRUT ASSY

APPROVED BY:

ENGR

MFG

QC

EFF.

CURRENT ORDER

TRANSACTION CODES (TC):

A-ADD
R-REVISE

C-CREATE
D-DELETE

REASON: REVISED FINISH CALLOUT AS PER ECR 15-209

SHEET 1, NOTES IS:

ACTION: UPDATE MO & WO

NOTES:

- 1 MATERIAL: 4130 STEEL PER AMS-T-6736, .50" OD, .083" WALL THK.
- 2 MATERIAL: 4130 STEEL PER AMS-T-6736, .375" OD, .075" WALL THK.
- 3 MATERIAL: 4130 STEEL PER AMS-T-6736, .324" OD.
- 4 FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N; 1-2 MIL MAX
5. DEBURR AND BREAK ALL SHARP EDGES
6. IDENTIFY IAW MPP-120.
- 7 WELD IAW MIL-STD-2219, TIG WELD WITH FILLER ROD
- 8 FINISH: CAD PLATE IAW QQ-P-416F CLASS I TYPE II
- 9 MASK THREAD PRIOR TO FINISH

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

140129 MJS

15-12-23

F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL/SPECIFICATION
DOCUMENTS EFFECTED: ☐ MDL ☐ INSTALL INSTRUCTIONS ☐ ICA ☐ FMS ☐ BOM					
CHANGE CATEGORY				DER REVIEW REQUIRED	
☐ MAJOR ☐ MINOR				☐ YES ☐ NO	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

NOTES:

1. MATERIAL: 4130 STEEL PER AMS-T-6736, .50" OD, .083" WALL THK.
2. MATERIAL: 4130 STEEL PER AMS-T-6736, .375" OD, .075" WALL THK.
3. MATERIAL: 4130 STEEL PER AMS-T-6736, .324" OD.
4. FINISH: PRIME IAW MIL-P-2337J TYPE I CLASS N; 1-2 MIL MAX
5. DEBURR AND BREAK ALL SHARP EDGES
6. IDENTIFY IAW MPP-120.
7. WELD IAW MIL-STD-2219. TIG WELD WITH FILLER ROD
8. FINISH: CAD PLATE IAW MIL-C-5541 CLASS 1A
9. MASK THREAD PRIOR TO FINISH

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	LAST PROTOTYPE REVISED FOR		
2	INITIAL RELEASE	12/07/01	P. BRAVO
3	INCORPORATED ECN 041	11/13/04	P. BRAVO


647.7701

647.7703

647.7702










UNINCORPORATED ECN(s)

05110



1			5	647.7714	STRUT TUBE	△	
1	1	1	4	647.7713	STRUT THREAD	△	△
1	1	1	3	647.7712	STRUT TUBE	△	
	1		2	647.7711	STRUT TUBE	△	
		1	1	647.7710	STRUT TUBE	△	
△	△			647.7703	STRUT ASSY		△△
				647.7702	STRUT ASSY		△△
				647.7701	STRUT ASSY		△△
7703	7702	7701	FIN #	PART #	DESCRIPTION	MATL	SPEC.
QTY							
NEXT ASSY (S)				PARTS LIST			
647.7300				APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300 STRUT ASSY			
646.4000							
INTERNAL DATE: 06/26/06 LOGGED BY: JACOBSON DESIGNED BY:							

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



1/4 - 28 THREAD

ORIGINAL DATE 12/01/07		APICAL INDUSTRIES	
DRAWN BY A. JACKSON	CHECKED P. BRAVO	2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300	
DRAWING APPROVAL P. BRAVO		STRUT ASSY	
CONTRACTING		SHEET 8	REV. A
DIMENSIONS UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS .01 ANGLES .5°		DATE 07/26/16	647.7700
SCALE: NONE		SHEET 2 OF 2	